

CC3A-T5 T5工事燈/吸頂型/吊管型



CC3A-T514-1
T5 14W 1燈型



CC3A-T514-2
T5 14W 2燈型



CC3A-T528-1
T5 28W 1燈型



CC3A-T528-2
T5 28W 2燈型

CC3-T5 T5山型燈



CC3-T514-1
T5 14W 1燈型



CC3-T514-2
T5 14W 2燈型




CC3-T528-1
T5 28W 1燈型



CC3-T528-2
T5 28W 2燈型

CC5-T5-5 T5輕鋼架燈具/T5隔柵燈/吸頂型/嵌入式



CC5-T5-514-2B
T5 14W 2燈型



CC5-T5-514-3B
T5 14W 3燈型



CC5-T5-514-4B
T5 14W 4燈型



CC5-T5-528-2B
T5 28W 2燈型



CC5-T5-528-3B
T5 28W 3燈型



CC5-T5-528-4B
T5 28W 4燈型

CC5-T5-4 T5防水防塵燈/IP65



CC5-T5-4141
T5 14W 1燈型



CC5-T5-4142
T5 14W 2燈型



CC5-T5-4281
T5 28W 1燈型



CC5-T5-4282
T5 28W 2燈型

- ☀ 輸入電壓：110V~220V 全電壓
- ☀ 安定器：主動高功電子式安定器(預熱式啟動)

產品型號	光源型式	功率	本體尺寸(mm)	產品說明
T5工事燈				
CC3A-T514-1A1	T5	14Wx1	L577mm x W97mm x H55mm	磨光鋼板白色烤漆/吸頂用
CC3A-T514-1A2	T5	14Wx1	L577mm x W97mm x H55mm	磨光鋼板白色烤漆/吊管用
CC3A-T514-1B1	T5	14Wx1	L577mm x W97mm x H55mm	鏡面鋁反光板/吸頂用
CC3A-T514-1B2	T5	14Wx1	L577mm x W97mm x H55mm	鏡面鋁反光板/吊管用
CC3A-T514-2A1	T5	14Wx2	L585mm x W180mm x H75mm	磨光鋼板白色烤漆/吸頂用
CC3A-T514-2A2	T5	14Wx2	L585mm x W180mm x H75mm	磨光鋼板白色烤漆/吊管用
CC3A-T514-2B1	T5	14Wx2	L585mm x W180mm x H75mm	鏡面鋁反光板/吸頂用
CC3A-T514-2B2	T5	14Wx2	L585mm x W180mm x H75mm	鏡面鋁反光板/吊管用
CC3A-T528-1A1	T5	28Wx1	L1178mm x W103mm x H55mm	磨光鋼板白色烤漆/吸頂用
CC3A-T528-1A2	T5	28Wx1	L1178mm x W103mm x H55mm	磨光鋼板白色烤漆/吊管用
CC3A-T528-1B1	T5	28Wx1	L1178mm x W103mm x H55mm	鏡面鋁反光板/吸頂用
CC3A-T528-1B2	T5	28Wx1	L1178mm x W103mm x H55mm	鏡面鋁反光板/吊管用
CC3A-T528-2A1	T5	28Wx2	L1185mm x W173mm x H75mm	磨光鋼板白色烤漆/吸頂用
CC3A-T528-2A2	T5	28Wx2	L1185mm x W173mm x H75mm	磨光鋼板白色烤漆/吊管用
CC3A-T528-2B1	T5	28Wx2	L1185mm x W173mm x H75mm	鏡面鋁反光板/吸頂用
CC3A-T528-2B2	T5	28Wx2	L1185mm x W173mm x H75mm	鏡面鋁反光板/吊管用
T5山型燈				
CC3-T514-1	T5	14Wx1	L593mm x W130mm x H80mm	磨光鋼板白色烤漆
CC3-T514-2	T5	14Wx2	L593mm x W156mm x H60mm	磨光鋼板白色烤漆
CC3-T528-1	T5	28Wx1	L1193mm x W130mm x H80mm	磨光鋼板白色烤漆
CC3-T528-2	T5	28Wx2	L1193mm x W156mm x H60mm	磨光鋼板白色烤漆
T5輕鋼架燈具				
CC5-T5-514-2A	T5	14Wx2	L601mm x W301mm x H63mm	吸頂型/鋼板烤漆+鏡面反射罩
CC5-T5-514-2B	T5	14Wx2	L601mm x W301mm x H63mm	嵌入式/鋼板烤漆+鏡面反射罩
CC5-T5-514-3A	T5	14Wx3	L601mm x W601mm x H56mm	吸頂型/鋼板烤漆+鏡面反射罩
CC5-T5-514-3B	T5	14Wx3	L601mm x W601mm x H56mm	嵌入式/鋼板烤漆+鏡面反射罩
CC5-T5-514-4A	T5	14Wx4	L601mm x W601mm x H56mm	吸頂型/鋼板烤漆+鏡面反射罩
CC5-T5-514-4B	T5	14Wx4	L601mm x W601mm x H56mm	嵌入式/鋼板烤漆+鏡面反射罩
CC5-T5-528-2A	T5	28Wx2	L1210mm x W301mm x H60mm	吸頂型/鋼板烤漆+鏡面反射罩
CC5-T5-528-2B	T5	28Wx2	L1210mm x W301mm x H60mm	嵌入式/鋼板烤漆+鏡面反射罩
CC5-T5-528-3A	T5	28Wx3	L1210mm x W601mm x H63mm	吸頂型/鋼板烤漆+鏡面反射罩
CC5-T5-528-3B	T5	28Wx3	L1210mm x W601mm x H63mm	嵌入式/鋼板烤漆+鏡面反射罩
CC5-T5-528-4A	T5	28Wx4	L1210mm x W601mm x H63mm	吸頂型/鋼板烤漆+鏡面反射罩
CC5-T5-528-4B	T5	28Wx4	L1210mm x W601mm x H63mm	嵌入式/鋼板烤漆+鏡面反射罩
T5防水防塵燈具				
CC5-T5-4141	T5	14Wx1	L610mm x W60mm x H74mm	防水、防塵、IP65
CC5-T5-4142	T5	14Wx2	L610mm x W101mm x H74mm	防水、防塵、IP65
CC5-T5-4281	T5	28Wx1	L1210mm x W60mm x H74mm	防水、防塵、IP65
CC5-T5-4282	T5	28Wx2	L1210mm x W101mm x H74mm	防水、防塵、IP65



CC5-T5-10 T5 支架燈/層板燈/櫥櫃燈/串接型



智慧型串接



CC5-T5-11 T5 支架燈/層板燈/櫥櫃燈/串接型附開關·加PC罩

- ☀ 輸入電壓：110V or 220V
- ☀ 最大燈具串接數量：5支
- ★ 採用電子安定器·免起動器·就能迅速起動
- ★ 內含燈具配件包(燈具固定夾·串接線..等)·插頭線(選購)

產品型號	光源型式	功率	本體尺寸(mm)	產品說明
T5 支架燈				
CC5-T5-1008	T5	8Wx1	L311mm x W21mm x H30mm	串接型
CC5-T5-1014	T5	14Wx1	L573mm x W21mm x H30mm	串接型
CC5-T5-1021	T5	21Wx1	L873mm x W21mm x H30mm	串接型
CC5-T5-1028	T5	28Wx1	L1173mm x W21mm x H30mm	串接型
CC5-T5-1035	T5	35Wx1	L1471mm x W21mm x H30mm	串接型
T5 支架燈(附開關)				
CC5-T5-1108	T5	8Wx1	L310mm x W20mm x H30mm	串接型附開關，加PC罩
CC5-T5-1114	T5	14Wx1	L575mm x W20mm x H30mm	串接型附開關，加PC罩
CC5-T5-1121	T5	21Wx1	L875mm x W20mm x H30mm	串接型附開關，加PC罩
CC5-T5-1128	T5	28Wx1	L1180mm x W20mm x H30mm	串接型附開關，加PC罩
CC5-T5-1135	T5	35Wx1	L1470mm x W20mm x H30mm	串接型附開關，加PC罩

CCC4B 陶瓷燈座/E27



產品型號	CC4B
燈座規格	E27
本體材質	陶瓷
外觀尺寸	ø35.3mm x H38.2mm
電線規格	1015 20# 0.3M 1015 20# 0.5M

